

To: Linden, melissa[linden.melissa@epa.gov]; Matlock, Dennis[Matlock.Dennis@epa.gov]; Rusty[Rusty.T.Joins@wv.gov]
From: Dorsey, Mike H
Sent: Tue 1/28/2014 7:32:43 PM
Subject: Fwd: Freedom Industries - Draft Water Quality Sampling and Interim Remedial Measures Workplan
[Scan0092.pdf](#)
[ATT00001.htm](#)
[ATT00002.txt](#)
[ATT00003.htm](#)

FYI.

Sent from my iPhone

Begin forwarded message:

From: "Bluedorn, Donald" <DBluedorn@babstcalland.com>
To: "Hickman, Joseph M" <Joseph.M.Hickman@wv.gov>
Cc: "Mandirola, Scott G" <Scott.G.Mandirola@wv.gov>, "Dorsey, Mike H" <Mike.H.Dorsey@wv.gov>, "Musser, Cynthia J" <Cynthia.J.Musser@wv.gov>, "Bandy, Jeremy W" <Jeremy.W.Bandy@wv.gov>, "Blankenship, Anne" <ABlankenship@babstcalland.com>
Subject: RE: Freedom Industries - Draft Water Quality Sampling and Interim Remedial Measures Workplan

Joe:

Attached is a very slight amendment to the original plan, which I understand was discussed and agreed to by both DEP and EPA.

Thanks,

Don

Donald C. Bluedorn II
Attorney-at-Law
dbluedorn@babstcalland.com<<mailto:dbluedorn@babstcalland.com>>
[Description: Description: Description: babstcalland]

Two Gateway Center
Pittsburgh, PA 15222
Direct 412.394.5450

Main 412.394.5400
Fax 412.394.6576
www.babstcalland.com<<http://www.babstcalland.com/>>

CONFIDENTIALITY NOTICE: This e-mail transmission, and any documents, files or previous e-mail messages attached to it may contain confidential information that is legally privileged. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are hereby notified that any disclosure, copying, distribution or use of any of the information contained in or attached to this transmission is STRICTLY PROHIBITED. If you have received this transmission in error, please immediately notify the sender. Please destroy the original transmission and its attachments without reading or saving in any manner. Thank you, Babst, Calland, Clements & Zomnir, P.C.

From: Hickman, Joseph M [<mailto:Joseph.M.Hickman@wv.gov>]
Sent: Tuesday, January 28, 2014 11:16 AM
To: Blankenship, Anne
Cc: Mandirola, Scott G; Dorsey, Mike H; Musser, Cynthia J; Bandy, Jeremy W; Bluedorn, Donald
Subject: RE: Freedom Industries - Draft Water Quality Sampling and Interim Remedial Measures Workplan

Thank you.

From: Blankenship, Anne [<mailto:ABlankenship@babstcalland.com>]
Sent: Tuesday, January 28, 2014 9:45 AM
To: Hickman, Joseph M
Cc: Mandirola, Scott G; Dorsey, Mike H; Musser, Cynthia J; Bandy, Jeremy W; Bluedorn, Donald
Subject: RE: Freedom Industries - Draft Water Quality Sampling and Interim Remedial Measures Workplan

Joe,

Attached is written confirmation of the work discussed yesterday to be performed today.

Anne C. Blankenship
Babst Calland
681.205.8955 office
304.419.1435 cell

From: Bluedorn, Donald
Sent: Monday, January 27, 2014 5:58 PM

To: Hickman, Joseph M
Cc: Blankenship, Anne; Mandirola, Scott G; Dorsey, Mike H; Musser, Cynthia J; Bandy, Jeremy W
Subject: RE: Freedom Industries - Draft Water Quality Sampling and Interim Remedial Measures Workplan

Thanks, Joe. I'll work on the confirmation now.

Donald C. Bluedorn II
Attorney-at-Law
dbluedorn@babstcalland.com<<mailto:dbluedorn@babstcalland.com>>
[Description: Description: Description: babstcalland]

Two Gateway Center
Pittsburgh, PA 15222
Direct 412.394.5450

Main 412.394.5400
Fax 412.394.6576
www.babstcalland.com<<http://www.babstcalland.com/>>

CONFIDENTIALITY NOTICE: This e-mail transmission, and any documents, files or previous e-mail messages attached to it may contain confidential information that is legally privileged. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are hereby notified that any disclosure, copying, distribution or use of any of the information contained in or attached to this transmission is STRICTLY PROHIBITED. If you have received this transmission in error, please immediately notify the sender. Please destroy the original transmission and its attachments without reading or saving in any manner. Thank you, Babst, Calland, Clements & Zomnir, P.C.

From: Hickman, Joseph M [<mailto:Joseph.M.Hickman@wv.gov>]
Sent: Monday, January 27, 2014 5:55 PM
To: Bluedorn, Donald
Cc: Blankenship, Anne; Mandirola, Scott G; Dorsey, Mike H; Musser, Cynthia J; Bandy, Jeremy W
Subject: RE: Freedom Industries - Draft Water Quality Sampling and Interim Remedial Measures Workplan

Don,
Based on our discussions at the Freedom site on January 21 as well as our phone call and

review of this document this morning, WVDEP approves the implementation of this sampling and intermediate remedial measures plan.

I must stress the importance of making accurate determinations regarding the absence of contaminants in any run-on water flows before such flows are considered for diversion around or away from the site. Additionally, it is imperative that adequate controls be maintained regarding any potentially contaminated surface water that will be generated during the expected snow melt and precipitation that is forecast to occur.

Cindy Musser informs me that during her walkthrough of the facility this morning with Mike Dorsey and the CEC folks, imminent actions regarding the extension of the interceptor trench, installation of an underdrain therein, and the installation of 2 recovery wells inside the secondary containment area in the vicinity of tank 393 have been verbally agreed to, and the initiation of sampling activities has been deferred until Wednesday January 29, due to the weather. Please confirm that this is your understanding also.

The WVDEP inspectors on-site, will be prepared to split samples with the CEC personnel as those activities commence.

Thank you.

Joe Hickman
Asst. Chief Inspector
WVDEP Environmental Enforcement

From: Bluedorn, Donald [<mailto:DBluedorn@babstcalland.com>]
Sent: Monday, January 27, 2014 9:27 AM
To: Hickman, Joseph M; Mandirola, Scott G; Dorsey, Mike H
Cc: Blankenship, Anne
Subject: RE: Freedom Industries - Draft Water Quality Sampling and Interim Remedial Measures Workplan

Joe, Scott and Mike:

Attached for discussion during this morning's 10:30 a.m. call is the Draft Water Quality Sampling and Interim Remedial Measures Workplan.

Mike – Anne Blankenship will bring 15 copies of the draft workplan to the Freedom office for the call. Please forward it via email to any agency personnel that are participating via phone.

Thanks,

Don

Donald C. Bluedorn II
Attorney-at-Law
dbluedorn@babstcalland.com<<mailto:dbluedorn@babstcalland.com>>
[Description: Description: Description: babstcalland]

Two Gateway Center
Pittsburgh, PA 15222
Direct 412.394.5450

Main 412.394.5400
Fax 412.394.6576
www.babstcalland.com<<http://www.babstcalland.com>>

CONFIDENTIALITY NOTICE: This e-mail transmission, and any documents, files or previous e-mail messages attached to it may contain confidential information that is legally privileged. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are hereby notified that any disclosure, copying, distribution or use of any of the information contained in or attached to this transmission is STRICTLY PROHIBITED. If you have received this transmission in error, please immediately notify the sender. Please destroy the original transmission and its attachments without reading or saving in any manner. Thank you, Babst, Calland, Clements & Zomnir, P.C.

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named
image001.jpg
which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****